

| Measure Number | Measure Name | 2015 Reporting Period | |
|----------------|---|-----------------------|----------------------------------|
| | | ACO Performance Rate | Mean Performance Rate (SSP-ACOs) |
| ACO-1 | CAHPS: Getting Timely Care, Appointments, and Information | 75.15 | 80.61 |
| ACO-2 | CAHPS: How Well Your Providers Communicate | 89.17 | 92.65 |
| ACO-3 | CAHPS: Patients' Rating of Provider | 88.97 | 91.94 |
| ACO-4 | CAHPS: Access to Specialists | 83.82 | 83.61 |
| ACO-5 | CAHPS: Health Promotion and Education | 59.83 | 59.06 |
| ACO-6 | CAHPS: Shared Decision Making | 71.97 | 75.17 |
| ACO-7 | CAHPS: Health Status/Functional Status | 65.98 | 72.30 |
| ACO-34 | CAHPS: Stewardship of Patient Resources* | 29.51 | 26.87 |
| ACO-8 | Risk Standardized, All Condition Readmission | 15.03 | 14.86 |
| ACO-35 | Skilled Nursing Facility 30-Day All-Cause Readmission Measure (SNFRM)* Readmission | 18.55 | 18.07 |
| ACO-36 | All-Cause Unplanned Admissions for Patients with Diabetes* | 64.19 | 54.60 |
| ACO-37 | All-Cause Unplanned Admissions for Patients with Heart Failure* | 97.00 | 76.96 |
| ACO-38 | All-Cause Unplanned Admissions for Patients with Multiple Chronic Conditions | 75.83 | 62.92 |
| ACO-9 | Ambulatory Sensitive Condition Admissions: Chronic Obstructive Pulmonary Disease or Asthma in Older Adults (AHRQ Prevention Quality Indicator (PQI) #5) | 1.38 | 1.11 |
| ACO-10 | Ambulatory Sensitive Conditions Admissions: Heart Failure (AHRQ Prevention Quality Indicator (PQI) #8) | 1.21 | 1.04 |
| ACO-11 | Percent of Primary Care Physicians who Successfully Meet Meaningful Use Requirements | 58.70% | 80.14% |
| ACO-39 | Documentation of Current Medications in the Medical Record* | 97.46% | 84.07% |
| ACO-13 | Falls: Screening for Future Fall Risk | 35.19% | 56.46% |
| ACO-14 | Preventive Care and Screening: Influenza Immunization | 47.06% | 62.03% |
| ACO-15 | Pneumonia Vaccination Status for Older Adults | 40.07% | 63.73% |
| ACO-16 | Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-up | 69.82% | 71.15% |
| ACO-17 | Preventive Care and Screening: Tobacco Use: Screening Intervention and Cessation | 94.96% | 90.16% |
| ACO-18 | Preventive Care and Screening: Screening for Clinical Depression Plan and Follow-up | 36.06% | 45.25% |
| ACO-19 | Colorectal Cancer Screening | 43.62% | 60.06% |
| ACO-20 | Breast Cancer Screening | 43.83% | 65.67% |
| ACO-21 | Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented | 79.93% | 70.04% |
| ACO-40 | Depression Remission at Twelve Months* | N/A | N/A |
| ACO-27 | Diabetes Mellitus: Hemoglobin A1c Poor Control | 15.93% | 6.11% |
| ACO-41 | Diabetes: Eye Exam* | 34.81% | 35.38% |
| ACO-28 | Hypertension: Controlling High Blood Pressure | 19.26% | 20.38% |
| ACO-30 | Ischemic Vascular Disease: Use of Aspirin or Another Antithrombotic | 57.62% | 41.05% |
| ACO-31 | Heart Failure: Beta-Blocker Therapy for Left Ventricular Systolic (LVSD) Dysfunction | 71.20% | 69.62% |
| ACO-33 | Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy - for patients with CAD and Diabetes or Left Ventricular Systolic Dysfunction (LVEF<40%) Blocker (AR | 90.91% | 83.82% |

CAHPS = Consumer Assessment of Healthcare Providers and Systems, PQI = Prevention Quality Indicator, LVSD dysfunction, ACE = angiotensin-converting enzyme, ARB = angiotensin receptor blocker, CAD = coronary artery disease. * = Measure required beginning Reporting Year 2015. N/A = Reporting on the depression remission measure is not required for 2015, as indicated by N/A = left ventricular disease. systolic